

Лазеры ZLP1

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: zrj@nt-rt.ru || сайт: <https://z-laser.nt-rt.ru/>

Model ZLP1

Compact, powerful, and easy to use

ZLP1 is a cost effective entry to laser projection. It is the smallest laser projector in the Z-LASER ZLP family.

ZLP1 is directed to 2D and 3D applications like pick-and-place, logistics and workstations. Enlarge and optimize your production or workflow by this easy to use laser projection system. ZLP1 is eye-safe (laser class 2M) and optimized for smaller working areas and shorter working distances.

We offer our own software ZLP-Suite, which has an intuitive software interface with many customizable options and as a result customers can adapt the settings according to their specific application. Furthermore, ZLP-Suite can be upgraded with additional software modules. Thanks to its numerous connectivity options the laser projector can be operated through various software interfaces such as C++, C# or Python.

Ask Z-LASER for OEM integration.



Wavelength: 520 nm



Intuitive software



Optical angle 60°



Optimized for 2D and 3D projection



Integration into multiprojector systems




Active or passive cooling system




IP54

Highlights


- Cost-effective laser projection system
- Easily operable via a variety of software interfaces
- Projection of 2D and 3D objects
- Optimized for interactive learning applications and workstations
- Easy integration into multi projection systems
- Data transmission via ethernet
- Passive or active cooling




Assembly Assistance




Put-to-Light



Pick-and-Place



Quality Control



Logistics

System specifications

Laser source	Green laser diode
Wavelength	520 nm
Output power	5 mW
Laser class (on EN 60825)	2M
Fan angle	60° x 60°
Accuracy ⁽¹⁾ ((For working distances of 1-3 m)	± 3 mm
Working distance (fixed focus at 2 m)	1 m up to 3 m
Frequency of projection	Max. 50 Hz (depends on the projection)
Weight	3.4 kg (plus ca. 1.4 kg for separate power supply)
Dimensions (L x W x H)	314 x 111 x 96 mm (137 mm incl. fan) 12.36 x 4.37 x 3.77 in (5.39 incl fan)
IP protection class	IP54

Software / handling

Software	ZLP-Suite
SDK	C++, C#, Python
Graphics format	DXF / HPGL / HPGL 3D

Accessories

Optional accessories	Remote control, power supply, glass reflectors, mounting
----------------------	--

Electrical specifications

Operating voltage	24 VDC ±10%
Protection class electrical	3 (protective low voltage)
Interfaces	Ethernet TP
Power consumption (typical)	<40 W RMS (max. 70W)

Ambient Conditions

Operating condition	+5 °C up to +40 °C (with passive cooling)
	+5 °C up to +45 °C (with active cooling)
Storage temperature	-5° C up to +60 °C
Humidity (max.)	< 80% relative, non-condensing
Distance to the projection surface (in mm)	Projection surface with an opening angle of 60° (in mm)
1.000	1.155 x 1.155
1.500	1.732 x 1.732
2.000	2.309 x 2.309
2.500	2.887 x 2.887

⁽¹⁾ At 32° C block temperature, optical angle 60° and 0° inclination

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: zrj@nt-rt.ru || сайт: <https://z-laser.nt-rt.ru/>